CPC COOPERATIVE PATENT CLASSIFICATION

B27G ACCESSORY MACHINES OR APPARATUS

TOOLS

SAFETY DEVICES e.g. THOSE FOR SAWS (clamping devices for mitre joints, presses for producing frames, press frames, or cages equipped with clamping devices <u>B25B</u>; woodworkers` benches <u>B25H</u>)

WARNING

The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups is classified in the following CPC groups:

B27G 17/08 covered by B25D 3/00

Guide heading:

B27G 5/00

B27G 1/00 Machines or devices for removing knots or other irregularities or for filling-up holes {filling up cracks or holes in a veneer cutting block B27L 5/00; caulking decks B63B 5/065 }

B27G 3/00 Arrangements for removing bark-zones, chips, waste, or dust, specially designed for use in connection with wood-working machine or in wood-working plants {B23Q 11/0042 takes precedence }

Machines or devices for working mitre joints with even abutting ends (with tenon or like connections <u>B27F</u>) {making mitre joints with uneven abutting ends <u>B27F</u> 1/005}

B27G 5/02 . for sawing mitre joints
Mitre boxes (guide fences for timber in sawing machines B27B 27/06)

B27G 5/023 .. {the mitre angle being adjusted by positioning a workpiece relative to a fixed saw }

B27G 5/026 ... {Mitre boxes }

B27G 5/04 . for planing, cutting, shearing, or milling mitre joints

Applying adhesives or glue to surfaces of wood to be joined (applying liquids, e.g. liquid adhesives, to surfaces in general <u>B05C</u>, <u>B05D</u>; adhesive processes <u>C09J</u> 5/00; associated with particular wood-working, <u>see</u>the relevant subclasses)

B27G 11/005 . {Glue guns, glue sprayers }

B27G 11/02 . Glue vessels
Apparatus for warming or heating glue

Guide heading: Tools (sawing tools <u>B27B 33/00</u>; tools for slotting or mortising machines <u>B27F 5/00</u>; tools

for the manufacture of wood shavings, chips, powder, or the like <u>B27L 11/00</u>)

B27G 13/00	Cutter blocks Other rotary cutting tools (B27G 15/00, B27G 17/00 take precedence)
B27G 13/002	. {Rotary tools without insertable or exchangeable parts, except the chucking part }
B27G 13/005	. {Tools composed of two or more rotating discs }
B27G 13/007	{which are adjustable relatively to each other (<u>B23Q 17/2283</u> takes precedence) }
B27G 13/02	. in the shape of long arbors, i.e. cylinder cutting blocks (B27G 13/12 takes precedence)
B27G 13/04	Securing the cutters by mechanical clamping means
B27G 13/06	Securing the cutters by fluid-pressure clamping means
B27G 13/08	 in the shape of disc-like members Wood-milling cutters (<u>B27G 13/12</u> takes precedence)
B27G 13/10	Securing the cutters, e.g. by clamping collars
B27G 13/12	. for profile cutting
B27G 13/14	for cutting grooves or tenons
B27G 13/16	for rounding rods, e.g. dowels
B27G 15/00	Boring or turning tools Augers
B27G 15/02	. Drills for undercutting holes
B27G 17/00	Manually-operated tools
B27G 17/02	. Hand planes (equipped with power-driven cutter blocks <u>B27C 1/10</u>)
B27G 17/025	{for forming profiles on wood; for trimming or chamfering edges }
B27G 17/04	. Spokeshaves Scrapers
B27G 17/06	. Rasps
B27G 19/00	Safety guards or devices specially designed for wood saws (in general $\underline{\sf F16P}$) Auxiliary devices facilitating proper operation of wood saws
B27G 19/003	. {for chain saws (braking devices <u>B27B 17/08</u>) }
B27G 19/006	. {for reciprocating saws }
B27G 19/02	. for circular saws
B27G 19/04	for manually-operated power-driven circular saws

B27G 19/06	. for band or strap saws
B27G 19/08	. Accessories for keeping open the saw kerf, e.g. riving knives, wedge plates
B27G 19/10	. Measures preventing splintering of sawn portions of wood
B27G 21/00	Safety guards or devices specially designed for other wood-working machines {auxiliary devices facilitating proper operation of said wood-working machines }
B27G 23/00	Gauging means specially designed for adjusting of tools or guides, e.g. adjusting cutting blades in cutter blocks ({B23Q 17/22 takes precedence; boring templates B23B 49/02 }; for guides of sawing machines B27B 27/00)